Author Index

Abassi, F., 368–370
Abdel-Azim, A.-A. A., 85–88, 360–362
Aeiyach, S., 130–131
van Aerle, N. A. J. M., 128–130
Al-Jarrah, M. M. F., 290–292
Ammerdorffer, J. L., 299–301
Andrews, M. P., 335–339
Ansarifar, M. A., 177–180
Aoyama, T., 68–69
Arimatsu, Y., 246–248
Arnold Jr, C., 95–97

Bahar, I., 349–351
Balasubramanian, K., 310–312
Ban, L. L., 163–166
Bando, K., 149–151
Banthia, A. K., 36–37
Barham, P. J., 112–115
Barrie, J. A., 40–42, 317–319, 319–321
Barron, P. F., 70–72
Barton, J. M., 5–6
Batchelder, D. N., 253–254
Benson, R. S., 282–284
Berruet, R., 243–246
Beulen, J., 189–192
Bhattacharyya, S. N., 363–365
Bibiarz, C. L., 296–299
Blair, H. S., 342–344
Boon, A. J., 45–47
Boots, H. M. J., 346–349
Brambley, D. R., 173–174
Briggs, D., 6–8
Buist, G. J., 5–6
Burfield, D. R., 19–20
Busfield, W. K., 70–72
Butler, C., 40–42

de Candia, F., 255–257
Cao, T., 43–44, 66–67
Capka, M., 158–160
Capodanno, V., 255–257
Chabert, B., 243–246
Challa, G., 158–160
Chang, S.-S., 33–35, 138–141
Chateauminois, A., 243–246
Chen, S., 66–67
Chen, Y., 272–275
Chiang, J. C., 161–162
Choi, L-S., 168–169
Chui, T. Y. T., 40–42, 317–319
Chujo, R., 105–108
Clark, J. C., 220–222
Clarson, S. J., 208–212
Cohen, J., 235–236
Collins, M. H., 307–309
Colquhoun, H. M., 154–155
Coote, A. S., 40–42
Cormia, R. D., 285–288
Cowie, J. M. G., 126–127, 218–219
Crevecoeur, G., 128–130
Croxton, C. A., 2–4, 232–234

Davies, C., 47–49
Davies, M. C., 365–367
Davis, S. S., 365–367
Dawkins, J. V., 122–125
Dayantis, J., 73–75
Disko, M. M., 163–166
Dodgson, K., 208–212
Doi, Y., 174–176
van Doremaele, G. H. J., 299–301
Dotson, M. J., 346–349
Doyle, M. J., 163–166
Draganova, M. 80–82
Dutta, S., 363–365

Ediger, M. D., 296–299
Ennis, B. C., 93–94
Erman, B., 349–351

Fink, J. K., 276–277
Firestone, B. A., 204–208
Floudas, G., 322–324
Flynn, K. M., 272–275
Fontelos, M. A., 269–271
Frank, F. C., 186–189
Fujii, T., 149–151
Fukuda, M., 97–99
Fukutomi, T., 230–231
Fytas, G., 322–324

Galvin, M. E., 335–339
Ganazzoli, F., 269–271
Garrett, P. D., 60–63
Gauthier, R., 243–246
George, M. H., 40–42, 317–319, 319–321
German, A. L., 278–279, 299–301
Ghadage, R. S., 116–118
Ghosh, R., 36–37
Golub, M. A., 285–288
Granick, S., 64–66
Grant, S., 342–344
Griffiths, L. G., 173–174
Grubb, D. T., 60–63
Guenet, J.-M., 52–60
Guerra, G., 14–16
Gundlach, P. E., 170–172

Haas, W. E., 77–80
Hachimori, A., 149–151
Hadjichristidis, N, 322–324
Hagger, A. J., 5–6
Hanabusa, K., 38–40
Hanna, J. V., 70–72
Hanna, S., 236–239
Hashimoto, T., 135–138, 212–216, 227–230, 261–263
Hatano, M., 149–151
Hay, J. N., 9–10
Hayakawa, T., 38–40
Hayashi, M., 49–51
Hayashi, R., 38–40
Hearn, J., 365–367
Heeger, A. J., 161–162, 264–266, 266–268
Heffner, S. A., 335–339
van Herk, A. M., 299–301
Higgins, J. S., 122–125
Hinrichsen, G., 199–200
Hodge, P., 368–370
Hojo, N., 38–40
Horii, F., 97–99
Horsky, J., 110–111
Hu, S-r., 103–105
Huglin, M. B., 155–157, 360–362
Humphrey, P., 365–367
Hutchinson, J. M., 132–134

Iijima, T., 49–51
Ijichi, Y., 135–138
Inoue, Y., 105–108
Ishigaki, I., 146–148
Ishizu, K., 230–231
Italia, S., 305–307
Ito, K., 68–69, 83–85, 223–224, 296–299, 339–341
Iyoda, S., 83–85

Jahr, H. J., 199–200
Jansen, J. A. J., 77–80
Jin, S. R., 26–28
Jin, Y., 66–67
Jo, Y. S., 105–108
Johnson, B. S., 296–299
Johnson, D., 365–367
Jones, J. R., 5–6
Jones, R. G., 173–174

Kabaivanov, V., 80–82
Kacarevic-Popovic, Z., 142–144
Kajiyama, T., 194–195
Kakugo, M., 288–290
Kambour, R. P., 170–172
Kang, E. T., 201–203
Karasz, F. E., 14–16
Kashiwa, N., 180–183
Kashiwazaki, A., 105–108
Kawai, H., 97–99
Keller, A., 112–115, 186–189
Kelusky, E. C., 258–260
Ketels, H., 189–192
Khanna, Y. P., 240–243
Khoshdel, E., 368–370
Kim, O-K., 168–169
Kim, W. S., 108–109
Kishimoto, M., 105–108
Kitamaru, R., 97–99
Kitano, T., 296–299
Kiyotsukuri, T., 28–30
Kobayashi, H., 149–151
Kodaira, K., 83–85
Kojima, K., 288–290
Kojima, M., 166–167
Komiyama, J., 49–51
Konar, J., 36–37
Kondo, Y., 149–151
Kostoski, D., 142–144
Koyama, T., 38–40
Kremer, K., 292–294
Kress, A. O., 302–304
Krutzel, L., 240–243
Kumar, S., 355–356
Kunioka, M., 174–176
Kurose, A., 38–40
Kuzmenka, D. J., 64–66
Kyu, T., 99–102

Lacaze, P. C., 130–131
Laggan, P., 17–19
Lam, P. K. H., 317–319, 319–321
de Larreta-Azelain, E., 21–24
Lemstra, P. J., 128–130
Long, T., 168–169
van der Loos, J. L. M., 278–279
Luckham, P. F., 177–180
Lyle, A. R., 307–309
Lynn, R. A. P., 365–367

MacKnight, W. J., 14–16
Maghami, G. G., 122–125
Magill, J. H., 166–167
Magonov, S. N., 43–44
Maiti, M., 363–365
Makuuchi, K., 146–148
Mandal, B. M., 363–365
Manley, T. R., 17–19
Mark, J. E., 208–212
Maruyama, Y., 105–108
Masuda, E., 38–40
Mathias, L. J., 192–193, 302–304, 352–354
Matsui, K., 10–13
Matsumoto, A., 31–32
Matsuyama, T., 201–203
McFaddin, D. C., 258–260
McKay, G., 342–344
McKenna, G. B., 52–60, 272–275
Meyer, G. C., 26–28

Miller, W. G., 220–222
Monnerie, L., 349–351
Morishita, N., 52–54
Morris, C. E. M., 93–94
Moustafa, S. S., 85–88
Mukundan, A. L., 310–312
Munro, H. S., 47–49
Murata, Y., 31–32

Nadkarni, V. M., 116–118
Nagase, Y., 10–13
Nakamura, Y., 174–176
Nakanishi, F., 52–54, 325–326
Neoh, K. G., 201–203
Nishikawa, M., 31–32
Nose, T., 294–296
Numasawa, N., 294–296

Ochiai, J., 10–13
Odell, J. A., 253–254
Ogoma, Y., 149–151
Oh, D. H., 108–109
Ohki, K. 149–151
Oiwa, M., 31–32
Okada, M., 294–296
Okawa, T., 225–226
Otero, T. F., 21–24

Park, M. H., 230–231
Parker, S. F., 314–316
Pavlova, M., 80–82
Pearce, P. J., 93–94
Pincus, P. A., 264–266
Ponrathnam, S., 116–118
Porri, L., 305–307
Porter, D., 75–76
Powell, D. G., 192–193
Priel, Z., 235–236

Qian, G., 43–44

Rabin, Y., 235–236
Ratner, B. D., 6–8
Renschler, C. L., 95–97
Ricci, G., 305–307
Roland, C. M., 332–334
Ruddy, M., 132–134
Russell, K. E., 258–260
Ryan, A. J., 196–198

Sadaghianizadeh, K., 126–127
Sadatoshi, H., 288–290
Saito, R., 230–231
Sakakibara, S., 339–341
Sato, M., 49–51, 194–195
Schantz, S., 330–331
Schellekens, R., 189–192
Schomaker, E., 158–160
Seo, I., 105–108
Seo, K. H., 108–109
Shakir, S. A., 122–125
Shirai, H., 38–40
Shoji, S., 52–54
Short, R. D., 365–367
Siegel, R. A., 204–208
Sikes, A. M., 192–193
Smith, G. R., 163–166
Smith, P., 161–162
Sobota, P., 144–145
Soubiran, P., 130–131
Soulier, J. P., 243–246
Spiegel, D., 264–266, 266–268
Spontak, R. J., 357–360
Springer, H., 199–200
Srinivasan, K. S. V., 310–312
Stanford, J. L., 196–198
Stankovic, S., 14–16
Stevens, J. R., 330–331
Still, R. H., 196–198
Stonebanks, J. A., 17–19
Story, E. R., 9–10
Suzuki, T., 225–226

Takahara, A., 194–195
Takebe, T., 227–230, 261–263
Takizawa, T., 28–30
Tanaka, H., 212–216
Taylor, M. A., 253–254
Termonia, Y., 90–92
Tomlins, P. E., 122–125
Trask, C. A., 332–334
Tsuchida, T., 246–248
Tsutsui, T., 180–183
Tsutsumi, N., 28–30

Uchikura, M., 10–13
Unwin, A. P., 250–252
Utko, J., 144–145

v.d. Velden, G., 189–192
Vickerman, J. C., 365–367
Vijayakumar, C. T., 276–277
Vilgis, T. A., 327–329
Vittoria, V., 255–257

Waldow, D. A., 296–299
Walsh, D. J., 90–92
Wang, C. S., 355–356
Wang, I-C. W., 170–172
Wang, Y-I., 103–105
Ward, I. M., 250–252
Weerts, P. A., 278–279
Wellinghoff, S. T., 220–222
Wenner, W. M., 240–243
White, D. M., 170–172
Widmaier, J. M., 26–28
Williams, D. J., 14–16
Williams, K. P. J., 314–316
Windle, A. H., 236–239
Wong, R. P., 282–284
Wright, W. W., 5–6
Wu, H. H., 218–219
Wudl, F., 161–162
Wydever, T., 285–288

Xu, M., 103–105

Yamaoka, H., 201–203
Yeager, G. W., 170–172
Yip, D. C. F., 155–157
Yoda, K., 246–248
Yokoyama, M., 288–290
Yoon, T. H., 168–169
Yoshii, F., 146–148

Zhou, Q-f., 103–105
Zhuang, P., 99–102
Zwarteveen, A-J., 158–160

Subject Index

AIBN
  Nuclear magnetic resonance
    Radical termination, 83–85
Acrylonitrile
  Radical termination
    Kinetics, 223–224
Adhesion
  Epoxy resin
    Composite, 80–82
Adsorption
  Block copolymers
    Mica, 177–180
Ageing
  Electron spectroscopy
    Transition, 290–292
  Gels
    Polystyrene, 52–60
  Irradiation
    Blend, 142–144
Alkyl dithiols
  Michael polyaddition
    Thioether, 302–304
Amine
  Chromatography
    Epoxide, 5–6
Anisotropy
  Optical properties
    Polyisoprene, 322–324
Annealing
  D.s.c.
    Temperature dependence, 132–134
Atomic oxygen
  E.s.c.a.
    Kapton, 285–288

Bacteriocidal polymers
  Organic acids
    Copolyester, 174–176
Benzotriazole
  Synthesis
    Stabilizer, 95–97
Binding
  Hydration
    Solution, 49–51
Bipolarons
  Photoinitiation
    Configuration, 266–268
Birefringence
  Plasticization
    Orientation, 199–200
Blend
  Ageing
    Irradiation, 142–144
  Polyimide
    Glass transition temperature, 14–16
  Polyurethane
    Molecular weight, 282–284
Blends
  Elastic scattering
    Block copolymers, 135–138
  Glass transition temperature
    Compatibility, 363–365
  Morphology
    Nylon 66, 163–166
  Polybutadiene
    Miscibility, 332–334
  Shear
    Phase transition, 227–230
Block copolymers
  Adsorption
    Mica, 177–180
  Compatability
    Stability, 212–216
  Elastic scattering
    Blends, 135–138

Polymerization
Sodium atoms, 335–339
Structure
Temperature dependence, 357–360
TEM
Staining, 288–290
Butadiene
Emulsion polymerization
Isoprene, 278–279
Butyrylation
Chitosan
Solution properties, 342–344

COSY
Nuclear magnetic resonance
Nylon-6, 189–192
Carbon disulphide
Rheology
Polystyrene, 220–222
Catalysis
Hock cleavage
Rearrangement, 45–47
Oxidant
Polyolefin, 36–37
Poly(dimethylsiloxane)
Synthesis, 225–226
Polyethylene
Polypropylene, 144–145
Polymerization
Kinetics, 180–183
Rearrangement
Hock cleavage, 45–47
Stereochemistry
Polymerization, 305–307
Chain
Electrolyte
Poly(methacrylic acid), 110–111
Solution
Thermodynamics, 73–75
Viscosity
Solution, 269–271
Chain modulus
Crystal modulus
Poly(*p*-phenylene sulphide), 250–252
Chitosan
Solution properties
Butyrylation, 342–344
Chloromethylation
Polystyrene
Methoxyacetyl chloride, 368–370
Chromatography
Amine
Epoxide, 5–6
Viscosity
Molecular weight, 68–69
Circular dichroism
Conformation
Fluorescence, 149–151
Comparability
Block copolymers
Stability, 212–216
Glass transition temperature
Molecular weight, 33–35
Complexes
Glass transition temperature
D.s.c., 330–331
Prussion Blue
Electrochromic, 38–40
Composite
Epoxy resin
Adhesion, 80–82
Glass transition temperature
Fibre, 17–19
PBT
Nylon 66, 355–356
PEEK
Poly(aryl ether ether ketone), 138–141
Polyepoxy matrix
Viscoelasticity, 243–246
Concentration dependence
Molecular weight
Solution, 294–296
Conductivity
Crown ether
Glass transition temperature, 126–127
Configuration
Photoinitiation
Bipolarons, 266–268
Star polymer
Monte-Carlo calculation, 2–4
Conformation
Circular dichroism
Fluorescence, 149–151
Fluorescence
Drag reduction, 168–169
Conjugated polymer
Persistence length
Dimer, 264–266
Copolyester
Bacteriocidal polymers
Organic acids, 174–176
Polycarbonate
Liquid crystal, 99–102
Copolymer
Enthalpy relaxation
D.s.c., 105–108
Polyethylene
Nuclear magnetic resonance, 258–260
Small-angle neutron scattering
Dispersion, 122–125
Surface interactions
SIMS, 6–8
Copolymerization
Crosslinking
Styrene, 276–277
Hydrophobic
Hydrophilic, 299–301
Styrene
Reactivity ratios, 155–157, 399–341
Crosslinking
Copolymerization
Styrene, 276–277
Drawing
Morphology, 128–130
Glass transition temperature
Melts, 327–329
Micelles
Synthesis, 230–231
Polymerization
Diffusion, 346–349
Resists
Microlithography, 173–174
Rubber
Swelling, 272–275
Crown ether
Conductivity
Glass transition temperature, 126–127
Crystal modulus
Chain modulus
Poly(*p*-phenylene sulphide), 250–252
Crystallization
Nuclear magnetic resonance
Side chain, 352–354
Curing
Fracture
Epoxy resin, 93–94

DNA
Electrophoresis
Monte-Carlo calculation, 292–294
D.s.c.
Annealing
Temperature dependence, 132–134
Enthalpy relaxation
Copolymer, 105–108
Glass transition temperature
Complexes, 330–331
Model
Poly(dimethylsiloxane), 208–212
Rubber
Glass transition temperature, 19–20
Degradation
*FT*i.r. spectroscopy
Surface interactions, 77–80
Radiation stability
Molecular weight, 146–148
Dielectric relaxation
Dynamic mechanical relaxation
Polyethylene, 240–243
Diffusion
Crosslinking
Polymerization, 346–349
Polyurethane
Film, 246–248
Transport properties
Temperature dependence, 255–257
Dimer
Persistence length
Conjugated polymer, 264–266
Dispersion
Small-angle neutron scattering
Copolymer, 122–125
Dose rate
Polypropylene
Stereochemistry, 70–72
Drag reduction
Conformation
Fluorescence, 168–169
Drawing
Crosslinking
Morphology, 128–130
Orientation
Melting, 9–10
Poly(vinyl alcohol)
Strength, 60–63
Dynamic mechanical relaxation
Dielectric relaxation
Polyethylene, 240–243
Dynamics
Molecular weight
Solution, 296–299
Nuclear magnetic resonance
Solution, 349–351

E.s.c.a.
Kapton
Atomic oxygen, 285–288
Elastic modulus
Intermolecular forces
Relaxation, 75–76
Elastic scattering
Blends
Block copolymers, 135–138
Electrochemical polymerization
Temperature dependence
Surface interactions, 21–24
Electrochromic
Complexes
Prussian Blue, 38–40
Electrolyte
Poly(ethylene oxide)
Surface interactions, 64–66
Poly(methacrylic acid)
Chain, 110–111
Electron spectroscopy
Ageing
Transition, 290–292
Synthesis
Polypyrrole, 201–203
Electrophoresis
DNA
Monte-Carlo calculation, 292–294
Electropolymerization
Film
Poly(*p*-phenylene), 130–131
Emulsion polymerization
Butadiene
Isoprene, 278–279

Entanglements
Poly(methyl methacrylate)
Fracture, 90–92
Enthalpy relaxation
D.s.c.
Copolymer, 105–108
Epoxide
Chromatography
Amine, 5–6
Epoxy
Synthesis
Poly(dimethysiloxane), 310–312
Epoxy resin
Adhesion
Composite, 80–82
Fracture
Curing, 93–94
Ethyl cellulose
Gas permeation
Graft copolymer, 10–13
Ethylene glycol
Synthesis
Gelation, 31–32
Excimer
Solution properties
Synthesis, 106–109
Excimer fluorescence
Morphology
Film, 43–44

***FT*i.r. spectroscopy**
Degradation
Surface interactions, 77–80
Fibre
Composite
Glass transition temperature, 17–19
Polyacetylene
Gels, 161–162
Film
Diffusion
Polyurethane, 246–248
Electropolymerization
Poly(*p*-phenylene), 130–131
Excimer fluorescence
Morphology, 43–44
Photopolymerization
Irradiation, 52–54, 325–326
X-ray diffraction
Twinning, 166–167
X.p.s.
Surface interactions, 47–49
Fluorescence
Conformation
Circular dichroism, 149–151
Drag reduction, 168–169
Fracture
Epoxy resin
Curing, 93–94
Poly(methyl methacrylate)
Entanglements, 90–92
Friedel Crafts
Poly(4-oxybenzoyl)
Polyester, 154–155

Gas permeation
Ethyl cellulose
Graft copolymer, 10–13
Gelation
Ethylene glycol
Synthesis, 31–32
Phase segregation
Glass transition temperature, 186–189
Gels
Hydrophobic
pH, 204–208
Polyacetylene
Fibre, 161–162
Polystyrene
Ageing, 52–60
Glass transition temperature
Blends
Compatibility. 363–365
Complexes
D.s.c., 330–331
Composite
Fibre, 17–19
Conductivity
Crown ether, 126–127
D.s.c.
Rubber, 19–20
Melts
Crosslinking, 327–329
Molecular weight
Compatibility, 33–35
Phase segregation
Gelation, 186–189
Polyimide
Blend, 14–16
Graft
Poly(methyl methacrylate)
Synthesis, 158–160
Graft copolymer
Ethyl cellulose
Gas permeation, 10–13

Hydration
Binding
Solution, 49–51
Hydrophilic
Copolymerization
Hydrophobic, 299–301
Hydrophobic
Copolymerization
Hydrophilic, 299–301
Gels
pH, 204–208

Intermolecular forces
Relaxation
Elastic modulus, 75–76
Interpenetration
Polyurethane
Network, 26–28
Ionic diol
Ionomer
Polyurethane, 40–42
Ionomer
Polyurethane
Ionic diol, 40–42
Ionomers
Polyurethane
Synthesis, 317–319
Irradiation
Ageing
Blend, 142–144
Film
Photopolymerization, 325–326
Photopolymerization
Film, 52–54
Isoprene
Emulsion polymerization
Butadiene, 278–279

Kapton
E.s.c.a.
Atomic oxygen, 285–288
Kevlar
Nuclear magnetic resonance
Relaxation, 97–99
Kinetics
Acrylonitrile
Radical termination, 223–224
Catalysis
Polymerization, 180–183
Kratky plots
Scattering
Monte-Carlo calculation, 232–234

Liquid crystal
Polycarbonate
Copolyester, 99–102
Polyester
Nematic phase, 218–219

Melting
Orientation
Drawing, 9–10
Melts
Glass transition temperature
Crosslinking, 327–329
Polyester
Morphology, 103–105
Methoxyacetyl chloride
Polystyrene
Chloromethylation, 368–370
Mica
Block copolymers
Adsorption, 177–180
Micelles
Crosslinking
Synthesis, 230–231
Michael polyaddition
Alkyl dithiols
Thioether, 302–304
Microlithography
Crosslinking
Resists, 173–174
Microphase separation
Small-angle neutron scattering
Poly(urethane ureas), 194–195
Miscibility
Molecular weight
Resin, 170–172
Polybutadiene
Blends, 332–334
Model
Poly(dimethylsiloxane)
D.s.c., 208–212
Water absorption
Transport, 307–309
Molecular weight
Concentration dependence
Solution, 294–296
Degradation
Radiation stability, 146–148
Dynamics
Solution, 296–299
Glass transition temperature
Compatibility, 33–35
Miscibility
Resin, 170–172
Polyurethane
Blend, 282–284
Viscosity
Chromatography, 68–69
Polyelectrolyte, 235–236
Monte-Carlo calculation
Configuration
Star polymer, 2–4
DNA
Electrophoresis, 292–294
Scattering
Kratky plots, 232–234
Morphology
Crosslinking
Drawing, 128–130
Excimer fluorescence
Film, 43–44
Nylon 66
Blends, 163–166
Polyester
Melts, 103–105

Nematic phase
Polyester
Liquid crystal, 218–219
Network
Interpenetration
Polyurethane, 26–28

Nuclear magnetic resonance
Copolymer
Polyethylene, 258–260
Crystallization
Side-chain, 352–354
Dynamics
Solution, 349–351
Kevlar
Relaxation, 97–99
Nylon-6
COSY, 189–192
Polyamide
Nylon, 192–193
Radical termination
AIBN, 83–85
Nylon
Nuclear magnetic resonance
Polyamide, 192–193
Nylon 66
Morphology
Blends, 163–166
PBT
Composite, 355–356
Nylon-6
Nuclear magnetic resonance
COSY, 189–192

Optical properties
Anisotropy
Polyisoprene, 322–324
Organic acids
Bacteriocidal polymers
Copolyester, 174–176
Orientation
Drawing
Melting, 9–10
Plasticization
Birefringence, 199–200
Polydiacetylene
Solution, 253–254
Oxidant
Polyolefin
Catalysis, 36–37

PBT
Nylon 66
Composite, 355–356
PEEK
Composite
Poly(aryl ether ether ketone), 138–141
PET
Thermal properties
Structure, 28–30
pH
Gels
Hydrophobic, 204–208
Persistence length
Conjugated polymer
Dimer, 264–266
Phase segregation
Glass transition temperature
Gelation, 186–189
Phase separation
Shear flow
Spinodal decomposition, 261–263
Phase transition
Shear
Blends, 227–230
Photoinitiation
Bipolarons
Configuration, 266–268
Photopolymerization
Film
Irradiation, 325–326
Irradiation
Film, 52–54
Plasticization
Birefringence
Orientation, 199–200
Poly(4-oxybenzoyl)
Friedel Crafts
Polyester, 154–155
Poly(aryl ether ether ketone)
Composite
PEEK, 138–141
Poly(butyl methacrylate)
SIMS
X.p.s., 365–367
Poly(dimethylsiloxane)
Model
D.s.c., 208–212
Synthesis
Catalysis, 225–226
Epoxy, 310–312
Poly(ethylene oxide)
Electrolyte
Surface interactions, 64–66
Poly(methacrylic acid)
Electrolyte
Chain, 110–111
Poly(methyl methacrylate)
Fracture
Entanglements, 90–92
Graft
Synthesis, 158–160
Poly(*p*-phenylene)
Film
Electropolymerization, 130–131
Poly(*p*-phenylene sulphide)
Chain modulus
Crystal modulus, 250–252
Poly(urethane ureas)
Small-angle neutron scattering
Microphase separation, 194–195
Poly(vinyl alcohol)
Strength
Drawing, 60–63
Polyacetylene
Gels
Fibre, 161–162
Polyamide
Nuclear magnetic resonance
Nylon, 192–193
Polybutadiene
Blends
Miscibility, 332–334
Polycarbonate
Copolyester
Liquid crystal, 99–102
Polydiacetylene
Solution
Orientation, 253–254
Polyelectrolyte
Molecular weight
Viscosity, 235–236
Polyene
Polyethylene
Raman spectroscopy, 314–316
Polyepoxy matrix
Composite
Viscoelasticity, 243–246
Polyester
Friedel Crafts
Poly(4-oxybenzoyl), 154–155
Morphology
Melts, 103–105
Nematic phase
Liquid crystal, 218–219
Synthesis
Thermal properties, 116–118
Polyethylene
Copolymer
Nuclear magnetic resonance, 258–260
Dynamic mechanical relaxation
Dielectric relaxation, 240–243
Polypropylene
Catalysis, 144–145
Staining, 66–67
Raman spectroscopy
Polyene, 314–316
Polyimide
Blend
Glass transition temperature, 14–16
Polyisoprene
Optical properties
Anisotropy, 322–324
Polymerization
Block copolymers
Sodium atoms, 335–339
Catalysis
Kinetics, 180–183
Crosslinking
Diffusion, 346–349
Polyurethane
Synthesis, 319–321
Stereochemistry
Catalysis, 305–307
Polyolefin
Oxidant
Catalysis, 36–37
Polypropylene
Dose rate
Stereochemistry, 70–72
Polyethylene
Catalysis, 144–145
Staining, 66–67
Polypyrrole
Synthesis
Electron spectroscopy, 201–203
Polystyrene
Chloromethylation
Methoxyacetyl chloride, 368–370
Gels
Ageing, 52–60
Rheology
Carbon disulphide, 220–222
Viscosity
Theta temperature, 85–88
Volume changes, 360–362
Polyurethane
Diffusion
Film, 246–248
Interpenetration
Network, 26–28
Ionomer
Ionic diol, 40–42
Ionomers
Synthesis, 317–319
Molecular weight
Blend, 282–284
Solution properties
Reaction injection moulding, 196–198
Synthesis
Polymerization, 319–321
Prussian Blue
Complexes
Electrochromic, 38–40

Radiation stability
Degradation
Molecular weight, 146–148
Radical termination
Acrylonitrile
Kinetics, 223–224
Nuclear magnetic resonance
AIBN, 83–85
Raman spectroscopy
Polyethylene
Polyene, 314–316
Reaction injection moulding
Solution properties
Polyurethane, 196–198
Reactivity ratios
Copolymerization
Styrene, 155–157, 339–341
Rearrangement
Catalysis
Hock cleavage, 45–47
Relaxation
Intermolecular forces

Elastic modulus, 75–76
Kevlar
Nuclear magnetic resonance, 97–99
Resin
Miscibility
Molecular weight, 170–172
Resists
Crosslinking
Microlithography, 173–174
Rheology
Polystyrene
Carbon disulphide, 220–222
Rubber
Crosslinking
Swelling, 272–275
D.s.c.
Glass transition temperature, 19–20

SIMS
Surface interactions
Copolymer, 6–8
X.p.s.
Poly(butyl methacrylate), 365–367
Scattering
Monte-Carlo calculation
Kratky plots, 232–234
Shear
Blends
Phase transition, 227–230
Shear flow
Phase separation
Spinodal decomposition, 261–263
Side-chain
Nuclear magnetic resonance
Crystallization, 352–354
Small-angle neutron scattering
Copolymer
Dispersion, 122–125
Microphase separation
Poly(urethane ureas), 194–195
Sodium atoms
Block copolymers
Polymerization, 335–339
Solution
Binding
Hydration, 49–51
Chain
Thermodynamics, 73–75
Dynamics
Nuclear magnetic resonance, 349–351
Molecular weight
Concentration dependence, 294–296
Dynamics, 296–299
Polydiacetylene
Orientation, 253–254
Viscosity
Chain, 269–271
Solution properties
Chitosan
Butyrylation, 342–344
Reaction injection moulding
Polyurethane, 196–198
Spectral properties
Synthesis
Excimer, 108–109
Stability
Block copolymers
Compatibility, 212–216
Stabilizer
Synthesis
Benzotriazole, 95–97
Staining
Polypropylene
Polyethylene, 66–67
TEM
Block copolymers, 288–290
Star polymer
Configuration
Monte-Carlo calculation, 2–4
Stereochemistry
Polymerization
Catalysis, 305–307
Polypropylene
Dose rate, 70–72
Strength
Poly(vinyl alcohol)
Drawing, 60–63
Structure
Temperature dependence
Block copolymers. 357–360
Thermal properties
PET, 28–30
X-ray diffraction
Temperature dependence, 236–239
Styrene
Copolymerization
Reactivity ratios, 155–157, 339–341
Crosslinking
Copolymerization, 276–277
Surface interactions
Copolymer
SIMS, 6–8
Electrochemical polymerization
Temperature dependence, 21–24
*FT*i.r. spectroscopy
Degradation, 77–80
Poly(ethylene oxide)
Electrolyte, 64–66
X.p.s.
Film, 47–49
Swelling
Crosslinking
Rubber, 272–275
Synthesis
Crosslinking
Micelles, 230–231
Epoxy
Poly(dimethylsiloxane), 310–312
Ethylene glycol
Gelation, 31–32
Graft
Poly(methyl methacrylate), 158–160
Poly(dimethylsiloxane)
Catalysis, 225–226
Polyester
Thermal properties, 116–118
Polypyrrole
Elctron spectroscopy, 201–203
Polyurethane
Ionomers, 317–319
Polymerization, 319–321
Spectral properties
Excimer, 108–109
Stabilizer
Benzotriazole, 95–97

TEM
Block copolymers
Staining, 288–290
Temperature dependence
D.s.c.
Annealing, 132–134
Electrochemical polymerization
Surface interactions, 21–24
Structure
Block copolymers, 357–360
Thermal properties
Viscoelasticity, 112–115
Transport properties
Diffusion, 255–257
X-ray diffraction
Structure, 236–239
Thermal properties
Structure
PET, 28–30
Synthesis
Polyester, 116–118
Temperature dependence
Viscoelasticity, 112–115
Thermodynamics
Solution
Chain, 73–75
Theta temperature
Viscosity
Polystyrene, 85–88
Thioether
Michael polyaddition
Alkyl dithiols, 302–304
Transition
Electron spectroscopy
Ageing, 290–292
Transport
Water absorption
Model, 307–309
Transport properties
Diffusion
Temperature dependence, 255–257
Twinning
X-ray diffraction
Film, 166–167

Viscoelasticity
Polyepoxy matrix
Composite, 243–246
Thermal properties
Temperature dependence, 112–115
Viscosity
Chain
Solution, 269–271
Molecular weight
Chromatography, 68–69
Polyelectrolyte, 235–236
Polystyrene
Theta temperature, 85–88
Volume changes, 360–362
Volume changes
Polystyrene
Viscosity, 360–362

Water absorption
Model
Transport, 307–309

X.p.s.
SIMS
Poly(butyl methacrylate), 365–367
Surface interactions
Film, 47–49
X-ray diffraction
Film
Twinning, 166–167
Structure
Temperature dependence, 236–239